

GH-2 series


Horizontal toggle clamps have the advantage of having a low profile when the handle is in the closed position, and so are most suitable for applications having a height restriction.

The bar and handle geometry use opposite axis directions.

Features include:

- Red vinyl hand grip with cushioned rib profile for improved user comfort.
- All body and linkage components are zinc plated to resist corrosion.
- Pivot points are fitted with hardened steel or stainless steel rivets to maintain accuracy and provide a long service life.
- Clamps with adjustable spindles are manufactured with a formed end to the bar ,which captivates the spindle should it become loose during operation.
- The handle and bar linkages are designed to provide a smooth continuous action when the handle is opened and closed.

**Flat Base
All Bar Types**



**Side Mounting
All Bar Types**

**Straight Base
All Bar Types**



GH 201 / 201-I


- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007(Nylon)
- Flanged Washers FW-080

GH 201-SS (STAINLESS STEEL)

- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007-SS
- Flanged Washers FW-080-SS



Unit:mm




GH 201-H

- Holding Capacity 40Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.06kg
- Spindle Supplied FC-053808
- Flanged Washers FW-081



GH-201-H

Unit:mm



GH 201-A / 201-AI


- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007(Nylon)

GH 201-ASS (STAINLESS STEEL)

- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007-SS



Unit:mm




GH 22100 / 22105

- Holding Capacity 68Kg
- Bar Opens 83°
- Handle Opens 70°
- Weight 0.11kg
- Spindle Supplied FC-064410
- Flanged Washers FW-140



GH-22105

Unit:mm



GH 201-L / 201-R


- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007(Nylon)
- Flanged Washers FW-080

GH 201-AL / 201-AR


- Holding Capacity 27Kg
- Bar Opens 90°
- Handle Opens 75°
- Weight 0.03kg
- Spindle Supplied SA-042007(Nylon)



GH-201-AL




Unit:mm




GH 22110 / 22115

- Holding Capacity 68Kg
- Bar Opens 83°
- Handle Opens 70°
- Weight 0.11kg
- Spindle Supplied FC-064410
- Bolt Retainer BR-140



GH-22115

Unit:mm



GH 201-B / 201-BI

- Holding Capacity 90Kg
- Bar Opens 85°
- Handle Opens 73°
- Weight 0.13kg
- Spindle Supplied FC-064410
- Flanged Washers FW-140




GH-201-B

GH 201-BSS (STAINLESS STEEL)

- Holding Capacity 90Kg
- Bar Opens 85°
- Handle Opens 73°
- Weight 0.13kg
- Spindle Supplied SA-064010-SS
- Flanged Washers FW-140-SS



GH-201-BI



Unit:mm


GH 201-BS / 201-BSI

- Holding Capacity 90Kg
- Bar Opens 85°
- Handle Opens 73°
- Weight 0.13kg
- Spindle Supplied FC-064410
- Bolt Retainer BR-140



GH-201-BS


GH-201-BSI



Unit:mm

GH 201-BHB

- Holding Capacity 90Kg
- Bar Opens 85°
- Handle Opens 73°
- Weight 0.15kg
- Spindle Supplied FC-064410
- Flanged Washers FW-140




GH-201-BHB

Unit:mm

GH 201-BSM

- Holding Capacity 90Kg
- Bar Opens 85°
- Handle Opens 73°
- Weight 0.16kg
- Spindle Supplied FC-064410
- Flanged Washers FW-140




GH-201-BSM

Unit:mm


GH 225-D / 225-DI

- Holding Capacity 227Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.26Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516



GH-225-D

GH-225-DI




Unit:mm

GH 225-DHB

- Holding Capacity 227Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.29Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516




GH-225-DHB



Unit:mm

GH 225-DSM

- Holding Capacity 227Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.32Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516




GH-225-DSM

Unit:mm

GH 225-DNB

- Holding Capacity 227Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.26Kg
- Spindle Supplied SA-085012
- Flanged Washers FW-516



GH-225-DNB


Unit:mm

GH 22245 / 22250

- Holding Capacity 273Kg
- Bar Opens 90°
- Handle Opens 84°
- Weight 0.64Kg
- Spindle Supplied FC-087512
- Bolt Retainer BR-516



Unit:mm




GH 20235 / 20236

- Holding Capacity 340Kg
- Bar Opens 90°
- Handle Opens 68°
- Weight 0.61Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380



Unit:mm




GH 201-C

- Holding Capacity 100Kg
- Bar Opens 93°
- Handle Opens 80°
- Weight 0.14Kg
- Spindle Supplied FC-064410
- Flanged Washers FW-140



Unit:mm



GH 20752-B

- Holding Capacity 75Kg
- Bar Opens 96°
- Handle Opens 78°
- Weight 0.09Kg
- Spindle Supplied SA-054008-SS+NC-05
- Flanged Washers FW-100

GH 21502-B

- Holding Capacity 150Kg
- Bar Opens 93°
- Handle Opens 76°
- Weight 0.25Kg
- Spindle Supplied SA-065010+NC-06
- Flanged Washers FW-140

GH 22502-B

- Holding Capacity 250Kg
- Bar Opens 90°
- Handle Opens 72°
- Weight 0.44Kg
- Spindle Supplied SA-086512
- Flanged Washers FW-516

GH 20752-BSS

- Holding Capacity 75Kg
- Bar Opens 96°
- Handle Opens 78°
- Weight 0.09Kg
- Spindle Supplied SA-054008-SS+NC-05
- Flanged Washers FW-100-SS

GH 21502-BSS

- Holding Capacity 150Kg
- Bar Opens 93°
- Handle Opens 76°
- Weight 0.25Kg
- Spindle Supplied SA-065010-SS+NC-06
- Flanged Washers FW-140-SS

GH 22502-BSS

- Holding Capacity 250Kg
- Bar Opens 90°
- Handle Opens 72°
- Weight 0.44Kg
- Spindle Supplied SA-086512-SS
- Flanged Washers FW-516-SS

GH 23502-B


- Holding Capacity 350Kg
- Bar Opens 90°
- Handle Opens 72°
- Weight 0.96Kg
- Spindle Supplied SA-107515
- Flanged Washers FW-380

GH 24502-B

- Holding Capacity 450Kg
- Bar Opens 94°
- Handle Opens 85°
- Weight 1.45Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120



GH-20752-B



Part No.	A	A1	B	B1	C	C1	C2	D	D1	F	F1	H	L	L1	L2
20752-B	13.5	25	16.8	27	19	9.5	2	5.2	-	5.3	9.3	38.5	112	37	22.8
21502-B	26	38	25	40	25	14	2.5	5.5	8.5	6.2	11.2	52.1	174	61	37.5
22502-B	26	42	28.5	47	34	17.5	3	6.6	9.1	9	15	66.5	225	79	48.6
23502-B	41.2	59	41	59	45	23	4	8.7	10.7	11.4	19.4	90.1	277	108	72.9
24502-B	41.2	66	41.3	67	59	26	5	8.7	-	13.2	23.2	110.4	308.7	128	87.2
20752-BSS	STAINLESS STEEL														
21502-BSS	STAINLESS STEEL														
22502-BSS	STAINLESS STEEL														

GH 203-F

- Holding Capacity 227Kg
- Bar Opens 94°
- Handle Opens 67°
- Weight 0.35Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH 203-FL

- Holding Capacity 227Kg
- Bar Opens 94°
- Handle Opens 67°
- Weight 0.38Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH 203-FSS (STAINLESS STEEL)

- Holding Capacity 227Kg
- Bar Opens 94°
- Handle Opens 67°
- Weight 0.35Kg
- Spindle Supplied SA-085012-SS
- Flanged Washers FW-516-SS




GH-203-F




GH-203-FL

Unit:mm




GH 203-P

- Holding Capacity 227Kg
- Bar Opens 94°
- Handle Opens 67°
- Weight 0.41Kg
- Spindle Supplied M8 Spindle+Cap Nut
- Flanged Washers FW-516



GH-203-P

Unit:mm



GH 204-GB / 204-GBL / 204-GBLH

- Holding Capacity 630Kg
- Bar Opens 94°
- Handle Opens 94°
- Weight 1.16Kg / 1.27Kg / 1.43Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120



GH-204-GB




GH-204-GBL



GH-204-GBLH

Unit:mm



Part No.	Description
204-GB	SHORT BAR LOW BASE
204-GBL	LONG BAR LOW BASE
204-GBLH	LONG BAR HIGH BASE

GH 202-F


- Holding Capacity 227Kg
- Bar Opens 86°
- Handle Opens 60°
- Weight 0.35Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516



GH-202-F


GH 202-FL

- Holding Capacity 227Kg
- Bar Opens 86°
- Handle Opens 60°
- Weight 0.41Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516



GH-202-FL

Unit:mm



GH 22005 / 22010 / 22015 / 22020


- Holding Capacity 22.7Kg
- Bar Opens 90°
- Handle Opens 69°
- Weight 0.03Kg
- Spindle Supplied SA-042007(Nylon)



GH-22005



GH-22010




GH-22015



GH-22020

Unit:mm



Part No.	Description	C2
22005	FLANGED BASE	1.2
22010	STRAIGHT BASE	1.2
22015	RIGHT HAND FLANGED BASE	2.5
22020	LEFT HAND FLANGED BASE	2.5

GH 204-G

- Holding Capacity 630Kg
- Bar Opens 91°
- Handle Opens 93°
- Weight 1.23Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120



GH-204-G


GH 204-GL

- Holding Capacity 630Kg
- Bar Opens 90°
- Handle Opens 92°
- Weight 1.34Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120



GH-204-GL

Unit:mm



GH 22025 / 22030 / 22035 / 22040


- Holding Capacity 22.7Kg
- Bar Opens 90°
- Handle Opens 69°
- Weight 0.03Kg
- Spindle Supplied SA-042007(Nylon)



GH-22025



GH-22030




GH-22035



GH-22040

Unit:mm



Part No.	Description	C2
22025	FLANGED BASE	1.2
22030	STRAIGHT BASE	1.2
22035	RIGHT HAND FLANGED BASE	2.5
22040	LEFT HAND FLANGED BASE	2.5


GH 20400

- Holding Capacity 20Kg
- Bar Opens 75°
- Handle Opens 82°
- Weight 0.04Kg
- Spindle Supplied SA-042507
- Flanged Washers FW-080



GH-20400

Unit:mm




GH 20300

- Holding Capacity 30Kg
- Bar Opens 72°
- Handle Opens 74°
- Weight 0.1Kg
- Spindle Supplied SA-04407
- Flanged Washers FW-100




GH-20300

Unit:mm




GH 20100

- Holding Capacity 20Kg
- Bar Opens 71°
- Handle Opens 72°
- Weight 0.04Kg
- Spindle Supplied SA-042507



GH-20100

Unit:mm



GH 21383

- Holding Capacity 250Kg
- Bar Opens 77°
- Handle Opens 85°
- Weight 0.26Kg
- Spindle Supplied SA-065010
- Flanged Washers FW-516




GH-21383

GH 25383

- Holding Capacity 280Kg
- Bar Opens 79°
- Handle Opens 87°
- Weight 0.3Kg
- Spindle Supplied SA-086512
- Flanged Washers FW-380

Unit:mm



Part No.	A	A2	B	B1	C	C1	C2	D	F	F1	H	L	L1	L4
21383	20	32	25	38	51	14	2.5	7	9	14	65	199	39.3	46
25383	23	38	28	44	71	20	3	7	12	18	91	252.8	80.3	62

GH 20800 / 21800

- Holding Capacity 30Kg
- Bar Opens 92°
- Handle Opens 109°
- Weight 0.04Kg
- Spindle Supplied FC-042507

GH 20800-SS (STAINLESS STEEL)


- Holding Capacity 30Kg
- Bar Opens 92°
- Handle Opens 109°
- Weight 0.04Kg
- Spindle Supplied SA-042507-SS



GH-20800

GH-21800

Unit:mm




GH 21382 / 22382

- Holding Capacity 250Kg
- Bar Opens 77°
- Handle Opens 85°
- Weight 0.22Kg
- Spindle Supplied SA-065010
- Flanged Washers FW-516

GH 21382-SS (STAINLESS STEEL)


- Holding Capacity 250Kg
- Bar Opens 77°
- Handle Opens 85°
- Weight 0.22Kg
- Spindle Supplied SA-065010-SS
- Flanged Washers FW-516-SS



GH-21382



GH-22382

Unit:mm



GH 25382 / 26382

- Holding Capacity 280Kg
- Bar Opens 79°
- Handle Opens 87°
- Weight 0.46Kg
- Spindle Supplied SA-106512
- Flanged Washers FW-380




Unit:mm

GH 21385

- Holding Capacity 300Kg
- Bar Opens 86°
- Handle Opens 90°
- Weight 0.55Kg
- Spindle Supplied SA-106515
- Flanged Washers FW-380





GH-21385



Unit:mm

GH 21384 / 22384

- Holding Capacity 500Kg
- Bar Opens 66°
- Handle Opens 83°
- Weight 0.74Kg
- Spindle Supplied SA-106515
- Flanged Washers FW-121



Unit:mm

GH 200-W

- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.57Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380

GH 200-WL


- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.62Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380

GH 200-WH

- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.66Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380


GH 200-WLH

- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.7Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380



GH-200-W

GH-200-WLH



Unit:mm

Part No.	Description	C	H	L	L1	L2
200-W	SHORT BAR, LOW BASE	53	85	241	61	35
200-WL	LONG BAR, LOW BASE	53	85	291	111	85
200-WH	SHORT BAR, HIGH BASE	78	110	241	61	35
200-WLH	LONG BAR, HIGH BASE	78	110	291	111	85

GH 220-WH

- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.74Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380


GH 220-WLH

- Holding Capacity 400Kg
- Bar Opens 84°
- Handle Opens 90°
- Weight 0.78Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380



GH-220-WH


GH-220-WLH



Unit:mm

GH 20448

• Holding Capacity	700Kg
• Bar Opens	90°
• Handle Opens	96°
• Weight	0.81Kg
• Spindle Supplied	SA-105015


GH-20448
