

GH-1 series

Vertical toggle clamps are the most versatile, producing the highest clamping forces with the bar and handle geometry using the same axis direction.

Features include:

- Red vinyl hand grip with cushioned rib profile for improved user comfort.
- All body and linkage components are zinc plated to resist corrosion.
- Pivot points are fitted with hardened steel or stainless steel rivets to maintain accuracy and provide a long service life.
- Clamps with adjustable spindles are manufactured with a formed end to the bar ,which captivates the spindle should it become loose during operation.
- Flanged washers are supplied with all slotted bar versions and weldable bolt retainer brackets are supplied with all solid bar models.
- The bar and handle opening angles can be increased on some models by the removal of a positioning pin on the base of the clamp.

**Flat Base
All Bar Types**



**Side Mounting
Types**

**Straight Base
All Bar Types**



T Handle

GH 13005 / 13005-SS


- Holding Capacity 68Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.06Kg
- Spindle Supplied FC-053708-LP/SA-053008-SS
- Flanged Washers FW-100 / FW-100-SS

GH 13007 / 13007-SS

- Holding Capacity 150Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.26Kg
- Spindle Supplied FC-086312/SA-085012-SS
- Flanged Washers FW-516 / FW-516-SS

GH 13008 / 13008-SS


- Holding Capacity 320Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.59Kg
- Spindle Supplied FC-108515/SA-107515-SS
- Flanged Washers FW-380 / FW-380-SS



Part No.	A	A1	B	B1	C	C1	C2	D	D1	F	F1	H	L	L1	L2	W
13005	13.5	26.2	15.9	25.4	12.7	7.9	2	4.4	-	5	9	36	57	30.8	12.7	34
13007	23	43.6	29.4	46	22.2	12.7	3	7	11	8.8	14.8	60	93.7	50.1	19.5	51
13008	35	64.3	38.1	62.7	33.3	19	3	7.9	11.9	10.3	18.3	91	131.8	67.5	28	70
13005-SS	STAINLESS STEEL															
13007-SS	STAINLESS STEEL															
13008-SS	STAINLESS STEEL															

GH 13005-HB


- Holding Capacity 68Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.07Kg
- Spindle Supplied FC-053708-LP
- Flanged Washers FW-100


GH-13005-HB

GH 13005-SM

- Holding Capacity 68Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.09Kg
- Spindle Supplied FC-053708-LP
- Flanged Washers FW-100

GH 13007-SM

- Holding Capacity 150Kg
- Bar Opens 90°
- Handle Opens 170°
- Weight 0.36Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516


GH-13007-SM


Part No.	A	A2	B	B1	C	C1	C2	D	D1	F	F1	H	L	L1	L2	W
13005-SM	10.3	5.6	19.5	31	50.9	7.9	2	4.4	7.4	5	9	75	60.3	30.6	12.7	34
13007-SM	14.9	9.4	28.4	46	77.8	12.7	3	7	11	8.8	14.8	116	96.7	50.1	19.5	51


GH 12050 / 12055

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.16Kg
- Spindle Supplied FC-064410

GH 12050-SS (STAINLESS STEEL)

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.16Kg
- Spindle Supplied SA-064010-SS


GH-12050


GH-12055

**GH 12050-U / 12055-U
12050-UL (Long U-bar)**

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.17Kg
- Spindle Supplied FC-064410
- Flanged Washers FW-142

GH 12050-USS (STAINLESS STEEL)


- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.16Kg
- Spindle Supplied SA-064010-SS
- Flanged Washers FW-142-SS


GH-12050-U

GH-12055-U

GH 12060 / 12065

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.17Kg
- Spindle Supplied FC-064410
- Bolt Retainer BR-140


GH-12060


GH-12065


GH 12070 / 12075


- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.17Kg
- Spindle Supplied FC-064410

GH-12070

GH-12075




Unit:mm



GH 12050-HB

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.19Kg
- Spindle Supplied FC-064410


GH-12050-HB



GH 12050-SM

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.19Kg
- Spindle Supplied FC-064410

GH-12050-SM




GH 12080 / 12085


- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.18Kg
- Spindle Supplied FC-064410
- Bolt Retainer BR-140

GH-12080

GH-12085



Unit:mm




**GH 101-A / 101-AI
101-AL(Long U-bar)**

- Holding Capacity 50Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.07Kg
- Spindle Supplied FC-053708-LP
- Flanged washers FW-100

GH-101-A


GH-101-AI



**GH 101-ASS
(STAINLESS STEEL)**

- Holding Capacity 50Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.07Kg
- Spindle Supplied SA-053008-SS
- Flanged washers FW-100-SS

Unit:mm




GH 12080-U

- Holding Capacity 91Kg
- Bar Opens 95°
- Handle Opens 60°
- Weight 0.18Kg
- Spindle Supplied FC-064410
- Flanged washers FW-142

GH-12080-U



Unit:mm




GH 101-AT / 101-AIT


- Holding Capacity 50Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.07Kg
- Spindle Supplied FC-053708-LP
- Flanged washers FW-100

GH-101-AT

GH-101-AIT




Unit:mm




GH 12205 / 12210

- Holding Capacity 182Kg
- Bar Opens 101°
- Handle Opens 57°
- Weight 0.6Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516



Unit:mm




GH 12140 / 12142 / 12145 / 12147

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.35Kg
- Spindle Supplied FC-086312
- Bolt Retainer BR-516



Unit:mm




Part No.	Description	
12140	Flanged Base	Short Solid Bar
12145	Straight Base	
12142	Flanged Base	Long Solid Bar
12147	Straight Base	

GH 12215 / 12220

- Holding Capacity 182Kg
- Bar Opens 101°
- Handle Opens 57°
- Weight 0.61Kg
- Spindle Supplied FC-086312
- Bolt Retainer BR-516



Unit:mm




GH 12131 / 12133 / 12136 / 12138

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.38Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516



Unit:mm



Part No.	Description	
12131	Flanged Base	Short U-Bar
12136	Straight Base	
12133	Flanged Base	Long U-Bar
12138	Straight Base	

GH 12130 / 12132 / 12135 / 12137


- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.36Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH GH-12130-SS (STAINLESS STEEL)

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.36Kg
- Spindle Supplied SA-085012-SS
- Flanged Washers FW-516-SS



Unit:mm




Part No.	Description	
12132	Flanged Base	Long U-Bar
12137	Straight Base	

GH 12141 / 12143 / 12146 / 12148

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.39Kg
- Spindle Supplied FC-086312
- Bolt Retainer BR-516



Unit:mm



Part No.	Description	
12141	Flanged Base	Short Solid Bar
12146	Straight Base	
12143	Flanged Base	Long Solid Bar
12148	Straight Base	


GH 12130-HB

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.4Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH-12130-HB



Unit:mm




GH 12130-SM

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.4Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH-12130-SM



Unit:mm




GH 12130-NB

- Holding Capacity 227Kg
- Bar Opens 100°
- Handle Opens 56°
- Weight 0.4Kg
- Spindle Supplied SA-086512
- Flanged Washers FW-516

GH-12130-NB



Unit:mm



GH 12265 / 12270

- Holding Capacity 340Kg
- Bar Opens 112°
- Handle Opens 61°
- Weight 0.65Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380

GH-12265




GH 12265-SS (STAINLESS STEEL)

- Holding Capacity 340Kg
- Bar Opens 112°
- Handle Opens 61°
- Weight 0.65Kg
- Spindle Supplied SA-107515-SS
- Flanged Washers FW-380-SS

GH-12270



Unit:mm



GH 12275 / 12280

- Holding Capacity 340Kg
- Bar Opens 112°
- Handle Opens 61°
- Weight 0.67Kg
- Spindle Supplied FC-108515
- Bolt Retainer BR-380


GH-12275



GH-12280



Unit:mm



GH 12285 / 12290

- Holding Capacity 340Kg
- Bar Opens 112°
- Handle Opens 61°
- Weight 0.71Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380


GH-12285



GH-12290



Unit:mm




GH 12295 / 12300

- Holding Capacity 340Kg
- Bar Opens 112°
- Handle Opens 61°
- Weight 0.73Kg
- Spindle Supplied FC-108515
- Bolt Retainer BR-380

GH-12295

GH-12300



GH 10247


- Holding Capacity 450Kg
- Bar Opens 103° / 135°
- Handle Opens 63° / 73°
- Weight 1.33Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120

GH-10247

GH 10248

- Holding Capacity 450Kg
- Bar Opens 103° / 135°
- Handle Opens 63° / 73°
- Weight 1.26Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120

GH-10248




GH 12305 / 12310

- Holding Capacity 364Kg
- Bar Opens 100°
- Handle Opens 65°
- Weight 1.09Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380

GH-12305

GH-12310



GH 10249


- Holding Capacity 450Kg
- Bar Opens 90°
- Handle Opens 63° / 73°
- Weight 1.3Kg
- Spindle Supplied SA-121017
- Bolt Retainer BR-120

GH-10249

GH 10250

- Holding Capacity 450Kg
- Bar Opens 103° / 135°
- Handle Opens 63° / 73°
- Weight 1.23Kg
- Spindle Supplied SA-121017
- Bolt Retainer BR-120

GH-10250




GH 12315 / 12320

- Holding Capacity 364Kg
- Bar Opens 100°
- Handle Opens 65°
- Weight 1.09Kg
- Spindle Supplied FC-108515
- Bolt Retainer BR-380

GH-12315


GH-12320



GH 101-EL

- Holding Capacity 360Kg
- Bar Opens 90°
- Handle Opens 60°
- Weight 0.84Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-380

GH-101-EL




GH 101-H

- Holding Capacity 450kg
- Bar Opens 101°
- Handle Opens 63°
- Weight 1.26kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120



GH-101-H



Unit:mm

GH 101-J

- Holding Capacity 550kg
- Bar Opens 100° / 140°
- Handle Opens 50° / 60°
- Weight 2.61kg
- Spindle Supplied SA-161520
- Flanged Washers FW-580




GH-101-J

GH 101-JSB

- Holding Capacity 550kg
- Bar Opens 100° / 140°
- Handle Opens 50° / 60°
- Weight 2.35kg
- Spindle Supplied SA-161520
- Flanged Washers FW-580



GH-101-JSB



Unit:mm

GH 101-JS

- Holding Capacity 550kg
- Bar Opens 100° / 140°
- Handle Opens 50° / 60°
- Weight 2.63kg
- Spindle Supplied SA-161520
- Bolt Retainer BR-580




GH-101-JS

GH 101-JSI

- Holding Capacity 550kg
- Bar Opens 100° / 140°
- Handle Opens 50° / 60°
- Weight 2.38kg
- Spindle Supplied SA-161520
- Bolt Retainer BR-580




GH-101-JSI



Unit:mm

GH 11002-B


- Holding Capacity 75kg
- Bar Opens 96°
- Handle Opens 69°
- Weight 0.12kg
- Spindle Supplied SA-054008+NC-05
- Flanged Washers FW-102B



Unit:mm

GH 12002-B

- Holding Capacity 150kg
- Bar Opens 108°
- Handle Opens 70°
- Weight 0.24kg
- Spindle Supplied SA-065010+NC-06
- Flanged Washers FW-140



GH-12002-B

GH 13002-B

- Holding Capacity 250kg
- Bar Opens 106°
- Handle Opens 67°
- Weight 0.52kg
- Spindle Supplied SA-086512
- Flanged Washers FW-516



GH-11002-B

Part No.	A	A1	A3	B	B1	B4	C	C1	C2	D	D1	F	F1	H	L	L1	L2
11002-B	14	29	16	17.5	34	24	22	10	2.5	4.8	-	5	10	97	67	38	27.9
12002-B	12.7	35	19	25	42	27	29	13	3	5.5	-	6	11	135	79	44	32.9
13002-B	22	43	-	33.7	51.2	-	35	19	3	8	14	8.8	14.8	197	143	100	70

GH 11003-B


- Holding Capacity 75kg
- Bar Opens 96°
- Handle Opens 69°
- Weight 0.14kg
- Spindle Supplied SA-054008+NC-05
- Flanged Washers FW-102B



GH-11003-B

GH 12003-B

- Holding Capacity 150kg
- Bar Opens 108°
- Handle Opens 70°
- Weight 0.28kg
- Spindle Supplied SA-065010+NC-06
- Flanged Washers FW-140



GH-13003-B BASE

Part No.	A	A1	A2	A3	B	B1	C	C1	C2	D	F	F1	H	L	L1	L2
11003-B	14	29	7.5	-	17.5	28	44	10	2.5	4.9	5	10	121	67	31	26
12003-B	19	35	8	-	26	42	64	13	3	5.5	6	11	170	79	35	29.5
13003-B	19	51	8	16	35	51	82	19	3	6.8	8.8	14.8	244	143	93	70


Unit:mm

GH 10751-B / 10752-B

- Holding Capacity 75kg
- Bar Opens 120°
- Handle Opens 85°
- Weight 0.09kg
- Spindle Supplied SA-054008-SS+NC-05
- Flanged Washers FW-100

GH 10752-BSS (STAINLESS STEEL)

- Holding Capacity 75kg
- Bar Opens 120°
- Handle Opens 85°
- Weight 0.09kg
- Spindle Supplied SA-054008-SS+NC-05
- Flanged Washers FW-100-SS

GH-10751-B
GH-10752-B



Unit:mm

GH 13501-B / 13502-B

- Holding Capacity 350kg
- Bar Opens 90° / 180°
- Handle Opens 70° / 100°
- Weight 0.89kg
- Spindle Supplied SA-107515
- Flanged Washers FW-380

GH-13501-B
GH-13502-B



Unit:mm


GH 11501-B / 11502-B

- Holding Capacity 150kg
- Bar Opens 95° / 185°
- Handle Opens 75° / 110°
- Weight 0.19kg
- Spindle Supplied SA-065010-NC-06
- Flanged Washers FW-142

GH 11502-BSS (STAINLESS STEEL)

- Holding Capacity 150kg
- Bar Opens 95° / 185°
- Handle Opens 75° / 110°
- Weight 0.19kg
- Spindle Supplied SA-065010-SS+NC-06
- Flanged Washers FW-142-SS

GH-11501-B
GH-11502-B


Unit:mm

GH 11501-C / 11502-C


- Holding Capacity 150kg
- Bar Opens 95° / 185°
- Handle Opens 69° / 110°
- Weight 0.19kg
- Spindle Supplied SA-065010-NC-06

GH 12501-C / 12502-C

- Holding Capacity 250kg
- Bar Opens 90° / 150°
- Handle Opens 70° / 100°
- Weight 0.43kg
- Spindle Supplied SA-086512

GH-11501-C
GH-11502-C


Unit:mm




Part No.	DESCRIPTION	A	A1	B	B1	B2	B3	C	C'	C1	C2	D	F	F1	H	H'	L	L1	L3
11501-C	STRAIGHT BASE	12.7	27	-	-	6	5.5	-	34	11	3	5.2	6.2	12.2	-	136	60	33	26.9
11502-C	FLANGED BASE	12.7	27	26.8	37.8	-	-	23	-	11	3	5.2	6.2	12.2	125	-	60	33	26.9
12501-C	STRAIGHT BASE	19	35	-	-	6	7.5	-	48	17.5	3	7.1	8.5	14.5	-	194	87.7	52.7	45.5
12502-C	FLANGED BASE	19	35	32	47	-	-	32	-	17.5	3	7.1	8.5	14.5	178	-	87.7	52.7	45.5

GH 13009 / 14009

- Holding Capacity 30kg
- Bar Opens 80°
- Handle Opens 88°
- Weight 0.05kg
- Spindle Supplied FC-044207

GH-13009
GH-14009



Unit:mm



GH 102-B

- Holding Capacity 100Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.11Kg
- Spindle Supplied FC-064410
- Flanged Washers FW-142


GH-102-B



GH 101-B

- Holding Capacity 100Kg
- Bar Opens 90°
- Handle Opens 65°
- Weight 0.14Kg
- Spindle Supplied FC-064410
- Flanged Washers FW-142


GH-101-B



GH 106-B

- Holding Capacity 100Kg
- Bar Opens 114°
- Handle Opens 77°
- Weight 0.16Kg
- Spindle Supplied FC-064410
- Flanged Washers FW-142

GH-106-B



GH 101-D / 101-DI

- Holding Capacity 180Kg
- Bar Opens 100°
- Handle Opens 62°
- Weight 0.35Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH 10200-E / 10200-EI

- Holding Capacity 180Kg
- Bar Opens 100°
- Handle Opens 62°
- Weight 0.44Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH-101-D




GH-101-DI



GH 10150-E / 10150-EI

- Holding Capacity 180Kg
- Bar Opens 100°
- Handle Opens 62°
- Weight 0.41Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

Unit:mm




Part No.	DESCRIPTION	L	L1	L2
101-D	FLANGED BASE	92.5	53.5	32.7
101-DI	STRAIGHT BASE	92.5	53.5	32.7
101-E	FLANGED BASE	142.6	103.6	82.7
101-EI	STRAIGHT BASE	142.6	103.6	82.7
10150-E	FLANGED BASE	193.5	154.5	128.5
10150-EI	STRAIGHT BASE	193.5	154.5	128.5
10200-E	FLANGED BASE	243	204	178
10200-EI	STRAIGHT BASE	243	204	178

GH 101-DL

- Holding Capacity 180Kg
- Bar Opens 100°
- Handle Opens 62°
- Weight 0.37Kg
- Spindle Supplied FC-086312
- Flanged Washers FW-516

GH-101-DL




GH 11401 / 12401

- Holding Capacity 100Kg
- Bar Opens 120°
- Handle Opens 72°
- Weight 0.21Kg
- Spindle Supplied SA-064010

GH-11401
GH-12401



Unit:mm


GH 14412 / 13412

- Holding Capacity 300Kg
- Bar Opens 140°
- Handle Opens 74°
- Weight 1.27Kg
- Spindle Supplied SA-109015
- Flanged Washers FW-121

GH-14412
GH-13412



Unit:mm


GH 11421 / 12421


- Holding Capacity 200Kg
- Bar Opens 94°
- Handle Opens 54°
- Weight 0.37Kg
- Spindle Supplied SA-085012
- Flanged Washers FW-380

GH GH-11421-SS (STAINLESS STEEL)

- Holding Capacity 200Kg
- Bar Opens 94°
- Handle Opens 54°
- Weight 0.37Kg
- Spindle Supplied SA-085012-SS
- Flanged Washers FW-380-SS

GH-11421
GH-12421



Unit:mm


GH 14100


- Holding Capacity 80Kg-152Kg
- Bar Opens 140°
- Handle Opens 74°
- Weight 2Kg
- Spindle Supplied FC-108515
- Flanged Washers FW-121

GH-14100



Unit:mm


GH 11412 / 12412

- Holding Capacity 200Kg
- Bar Opens 110°
- Handle Opens 64°
- Weight 0.42Kg
- Spindle Supplied SA-085012
- Flanged Washers FW-516

GH-11412
GH-12412



Unit:mm


GH 11350

- Holding Capacity 150Kg
- Bar Opens 130°
- Handle Opens 68°
- Weight 0.43Kg
- Spindle Supplied SA-086512

GH-11350


Unit:mm



GH 10444 / 10448

- Holding Capacity 400Kg
- Bar Opens 91°
- Handle Opens 62°
- Weight 0.87Kg / 0.84Kg
- Spindle Supplied SA-105015




GH-10444



GH-10448



Unit:mm



GH 11201

- Holding Capacity 100~370Kg
- Bar Opens 110°
- Handle Opens 90°
- Weight 1.5Kg
- Spindle Supplied SA-121017
- Flanged Washers FW-120

GH-11201



Unit:mm

